

ORDESA









Main features

- Completely manufactured in cast iron.
- Regulation of the primary and secondary air inlet regulations.
- Possibility of upper or rear smoke outlet.
- Triple Combustion System.
- Glove and spray paint included.

Colores disponibles:





COMPLETELY

made in cast iron

SMOKE OUTLET

upper or rear



Datos técnicos

Potencia cedida al aire (kW) máx.-mín.: 11 - 3,2

Material cámara combustión: Fundición

 $\stackrel{\frown}{\mathbb{N}^3}$ Volumen calefactable (m3): 225 $\stackrel{\frown}{\mathbb{N}}$ Rendimiento %: 80

Consumo (kg/h): 2,6 Diámetro de salida de humos (cm): 15

kW

Potencia (kW) nom.: 9

Peso (Kg): 103 — Tamaño máximo troncos (cm): 40

Sistemas

* Sistema Cristal Limpio Sistema Triple Combustión

Certificaciones



flamme 7*

C € 16510

15aB-VG DIN Plus l.BimSchV2

Dada la continua mejora de nuestros productos y el perfeccionamiento de nuestro proceso de fabricación, las dimensiones, la estética del producto y las características técnicas están sujetas a posibles variaciones sin previo aviso por parte de nuestra empresa.

©Bronpi Calefacción, S.L. tiene reservados todos los derechos sobre las imágenes que aparecen en este documento. Está prohibida la reproducción o la difusión parcial o total de las fotografías y así como del texto. Tanto la marca como los símbolos son distintivos propiedad exclusiva de la empresa. Los infractores serán procesados conforme a la ley.